# **Comprehensive Diabetes Care Blood Pressure Control for Patients with Diabetes (BPD)**

By working together, we can improve health outcomes for your patients, our members. The Healthcare Effectiveness Data and Information Set (HEDIS®) helps us measure many aspects of performance. This tip sheet provides key details of the HEDIS measure for blood pressure control for patients with diabetes.

## What is the measure?

The measure assesses the percentage of members between 18 and 75 with a diagnosis of diabetes (type 1 and type 2) whose blood pressure (BP) was adequately controlled (less than 140/90 mm Hg) during the measurement year.

## **Blood Pressure Control**

Identify the most recent BP reading taken during the measurement year. The goal is for the patient to have adequately controlled BP (systolic BP of 139 or less and diastolic BP of 89 or less). The member is not compliant if the BP reading is ≥140/90 mm Hg or is missing, if there is no BP reading during the measurement year or if the reading is incomplete (i.e., the systolic or diastolic level is missing).

**Note:** BP readings should be clearly documented in the clinical notes and reported through claims.

#### Codes for Blood Pressure

3080F >= 90 mm Hg

CPT-II Systolic BP level	CPT-II Diastolic BP level
3074F <130 mm Hg	3078F < 80 mm Hg
3075F 130 -139 mm Hg	3079F 80-89 mm Hg

**Note:** Do not include BP reading if:

 $3077F >= 140 \, \text{mm Hg}$ 

- BP is taken during an acute inpatient stay or an ED visit
- BP is taken on the same day as a diagnostic test or a diagnostic or therapeutic procedure that requires a change in diet or change in medication on or one day before the day of test or procedure, except for fasting blood test
- Taken by the member using a non-digital device such as with a manual blood pressure cuff and a stethoscope

Continued next page

All summaries of the measures contained herein are reproduced with permission from HEDIS Volume 2: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). HEDIS® is a registered trademark of the NCQA. Please see the final page of this document for the full copyright citation.

Florida Blue is an Independent Licensee of the Blue Cross and Blue Shield Association.

# **HEDIS Measure: Blood Pressure Control for Patients with Diabetes (BPD)**

(continued)

## **Exclusions**

Members are excluded from the measure if they meet the following criteria:

Hospice care or using hospice services anytime in the measurement year

## **Codes for Hospice Care**

**CPT**: 99377 – 99378

HCPCS: G0182, G9473 - G9479, Q5003 - Q5008, Q5010, S9126, T2042 - 2046

Receiving palliative care anytime in the measurement year

### **Codes for Palliative Care**

HCPCS: G9054, M1017

- Members who died any time during the measurement year
- Medicare members age 66 and older as of December 31 of the measurement year who are either enrolled in an institutional special needs plan (I-SNP) or living long term in an institution
- Members age 66 and older as of December 31 of the measurement year who meet both frailty and advanced illness criteria
- Members with a diagnosis of polycystic ovarian syndrome, gestational diabetes, or steroid-induced diabetes during measurement year or the year prior to measurement year and do not have a diagnosis of diabetes during the measurement year or the year prior to the measurement year

## **Best Practices for BPD Measure**

- If there are multiple BPs on the same date of service, use the lowest systolic and lowest diastolic BP on that date as the representative BP.
- Encourage your patient to monitor their BP at home using a digital BP machine. BP readings taken by the member and documented in the member's medical record meetcriteria for this measure.
- Ranges and thresholds do not meet criteria for this measure. A distinct numeric resultfor both the systolic and diastolic BP reading is required for numerator compliance.
- A BP documented as an "average BP" (e.g., "average BP: 139/70") is eligible for use.

**Note**: The member is non-compliant if the BP reading is ≥140/90 mm Hg or is missing, if there is no BP reading during the measurement year, or if the reading is incomplete (i.e., the systolic or diastolic level is missing).

Content reproduced with permission from HEDIS® MY 2023 Volume 2: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. Limited proprietary coding sets are contained in the specifications for convenience, and users should obtain all necessary licenses from the owners of the code sets. NCQA disclaims all liability for use or accuracy of any coding contained in the specifications. To purchase copies of the publication, including the full measures and specifications, visit ncqa.org/publications.

108060 0323R 2