

## Appropriate Testing for Pharyngitis (CWP)

By working together, we can improve health outcomes for your patients, our members. The Healthcare Effectiveness Data and Information Set (HEDIS®) helps us measure many aspects of performance. This tip sheet provides key details of the HEDIS measure for appropriate testing for pharyngitis (CWP).

### What Is the Measure?

The measure focuses on members age 3 years and older who had a diagnosis of pharyngitis during the measurement year, were dispensed an antibiotic, and received a group A Streptococcus test for the episode. Because this measure considers all eligible episodes, a patient can be counted more than once toward performance for a measurement year.

### How to Improve Your Quality Score

- Review and document the group A Streptococcus (strep) test in your records.
- Use correct procedure codes.
- Submit claims and encounter data in a timely manner.

**Note:** Compliance is met if the patient received a group A Streptococcus (strep) test during the episode period, which is a seven-day period spanning from three days before to three days after the episode. Compliance is determined independently for each eligible episode occurring in a measurement year.

### Codes

**Group A Strep Test CPT:** 87070-87071, 87081, 87430, 87650-87652, 87880

### Table 1: Antibiotic Medications

Medication Type	Prescription(s)
Aminopenicillins	Amoxicillin, Ampicillin
Beta-lactamase inhibitors	Amoxicillin-clavulanate
First generation cephalosporins	Cefadroxil, Cefazolin, Cephalexin
Folate antagonist	Trimethoprim
Lincomycin derivatives	Clindamycin
Macrolides	Azithromycin, Clarithromycin, Erythromycin

*Continued next page*

All summaries of the measures contained herein are reproduced with permission from HEDIS Volume 1: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). HEDIS® is a registered trademark of the NCQA. Please see the final page of this document for the full copyright citation.

Florida Blue is an independent licensee of the Blue Cross and Blue Shield Association.

## Table 1: Antibiotic Medications *continued*

Medication Type	Prescription(s)
Natural penicillin(s)	Penicillin G potassium, Penicillin G sodium, Penicillin V potassium, Penicillin G benzathine
Quinolones	Ciprofloxacin, Levofloxacin, Moxifloxacin, Ofloxacin
Second generation cephalosporins	Cefaclor, Cefprozil, Cefuroxime
Sulfonamides	Sulfamethoxazole-trimethoprim
Tetracyclines	Doxycycline, Minocycline, Tetracycline
Third generation cephalosporins	Cefdinir, Cefixime, Cefpodoxime, Ceftriaxone

## Table II: Medication and Condition Histories, Competing Diagnoses

Some conditions and/or diagnoses, if documented in your medical evaluation, will designate your patient as excluded from your HEDIS metric. These cases do not negatively affect your performance for National Quality Assurance.

For some measures, evidence of prior medical and prescription history can also exclude a patient from consideration.

## Exclusions

- **Negative medication history:** A period of 30 days prior to an episode in which the patient has not had any antibiotic medications dispensed
- **Negative condition history:** A period of 12 months prior to the episode in which the patient has not been diagnosed with any of the following competing conditions: human immunodeficiency virus, malignant neoplasm, emphysema, chronic obstructive pulmonary disease, immune system disorders, and other comorbid conditions (tuberculosis, sickle cell anemia, respiratory failure, and others)
- **Competing diagnosis/differential diagnosis:** A patient had a competing diagnosis during the **episode period**, including cholera, typhoid, salmonella, whooping cough, and others
- **Members in hospice or using hospice services during the measurement year**
- **Members who died any time during the measurement year**

Content reproduced with permission from HEDIS® MY2024, Volume 1: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. Limited proprietary coding sets are contained in the specifications for convenience, and users should obtain all necessary licenses from the owners of the code sets. NCQA disclaims all liability for use or accuracy of any coding contained in the specifications. To purchase copies of the publication, including the full measures and specifications, visit [NCQA.org/Publications](https://www.ncqa.org/Publications).